BOTHALIA

VOL. 25
INDEX—INDEKS

NATIONAL
BOTANICAL
INSTITUTE

ISSN 0006 8241

1995

BOTHALIA

'N TYDSKRIF VIR PLANTKUNDIGE NAVORSING
A JOURNAL OF BOTANICAL RESEARCH

Volume 25

Scientific Editor/Wetenskaplike Redakteur: O.A. Leistner
Technical Editor/Tegnsiese Redakteur: B.A. Momberg

NATIONAL
BOTANICAL
INSTITUTE

2 Cussonia Avenue, Brummeria, Pretoria / Private Bag X101, Pretoria 0001
Cussonialaan 2, Brummeria, Pretoria / Privaatsak X101, Pretoria 0001

ISSN 0006 8241

1995



Digitized by the Internet Archive
in 2025

https://archive.org/details/african-biodiversity-conservation_1995_25_index

CONTENTS—INHOUD

	Page/Bladsy	Date/Datum
No. 1	1–132	May/Mei 1995
No. 2	133–285	Oct./Okt. 1995

Page
Bladsy

BALKWILL, K. & BALKWILL, M-J. Review: Flora of Australia (Verbenaceae) Vol. 49: Oceanic Islands 1, ed. by A.E. Orchard & A.J.G. Wilson. 1994. 127

BARKER, N.P. A systematic study of the genus *Pseudopentameris* (Arundinoideae: Poaceae). 141

BEYERS, J.B.P. A new species of *Trichogyne* from Namaqualand (Asteraceae). 107

BEYERS, J.B.P. & VAN DER WALT, J.J.A. The generic delimitation of *Lachnaea* and *Cryptadenia* (Thymelaeaceae). 65

BROWNING, J., GORDON-GRAY, K.D. & WARD, C.J. New records for southern Africa and KwaZulu-Natal (Cyperaceae). 238

BRUYNS, P.V. New records and new species of Asclepiadaceae from Namibia. 155

BUKENYA, Z.R. & CARASCO, J.F. *Solanum* (Solanaceae) in Uganda. 43

BURROWS, J.E. & CROUCH, N.R. New distribution records of South African pteridophytes (Pteridophyta). 236

BURROWS, J.E. & EDWARDS, T.J. A new species and a change in status in *Ophioglossum* (Ophioglossaceae: Pteridophyta) in Africa. 61

BUYS, M.H. & VAN DER WALT, J.J.A. Typification of the sections in *Lobostemon* (Boraginaceae). 233

CAMPBELL, B.M., CUNLIFFE, R.N. & GAMBIZA, J. Vegetation structure and small-scale pattern in Miombo Woodland, Marondera, Zimbabwe. 121

FELLINGHAM, A.C. A new species of *Cliffortia* from the Swartberg (Rosaceae). 104

FELLINGHAM, A.C. & MEYER, N.L. New combinations and a complete list of *Asparagus* species in southern Africa (Asparagaceae). 205

FISH, L. Review: A key to Australian grasses, 2nd edn, by B.K. Simon, 1993. 127

GLEN, H.F. & SMITH, G.F. Notes on the typification of some species of *Aloe* (Asphodelaceae/Aloaceae). 37

GLEN, H.F. & WELMAN, W.G. Obituary: Friedrich von Breitenbach OMS (1916–1995). 260

GLEN, H.F. SMITH, G.F. & HARDY, D.S. Typification of *Aloe* species described by B.H. Groenewald. (Asphodelaceae/Aloaceae). 97

HENNESSY, E.F. & RODMAN, S. A note on *Combretum* subgenus *Combretum* section *Macrostigmatea* (Combretaceae). 149

HERMAN, P.J.J. A new species in the genus *Clerodendrum* (Verbenaceae). 100

HERMAN, P.J.J. A new combination in *Cotula* (Asteraceae). 244

HERMAN, P.J.J. A note on *Ursinia brachyloba* (Asteraceae). 244

LEISTNER, O.A., SMITH, G.F. & GLEN, H.F. Notes on *Podocarpus* in southern Africa and Madagascar (Podocarpaceae). 233

MANNING, J. Review: Diversity and evolutionary biology of tropical flowers, by P.K. Endress, 1994. 128

MOMBERG, B.A. Author citation 'ex Krauss' in nomenclature. 245

MOMBERG, B.A. Compiler: National Botanical Institute: list of staff and publications, 31st March 265

OLIVER, E.G.H. A new species of *Erica* from the Western Cape (Ericaceae). 242

OLIVER, E.G.H. & OLIVER, I.M. Studies in the Ericoideae (Ericaceae). XVI. Six new species of *Erica* from the Western Cape, South Africa. 87

ORYEM-ORIGA, H., KAKUDIDI, E.K.Z., KATENDE, A.B. & BUKENYA, Z.R. Preliminary ethnobotanical studies of the Rwenzori Mountain forest area in Bundibugyo District, Uganda. 111

PEROLD, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 8. The genus *Plagiochasma* (Aytoniaceae: Aytonioideae) and six local taxa. 13

PEROLD, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 9. The genus *Marchantia* and its five local species. 183

PEROLD, S.M. The taxonomic history of the Ricciaceae (1937–1995) and a classification of sub-Saharan Ricciae. 211

PEROLD, S.M. Fruiting *Lunularia cruciata*, now also reported from southern Africa (Lunulariaceae). 239

RETIEF, E., NICHOLAS, A. & BAIJNATH, H. The psocid *Liposcelis bostrychophilus* Badonnel (Psocoptera: Liposcelidae): an occasional herbarium pest. 247

ROURKE, J.P. Obituary: Winsome (Buddy) Barker (1907–1994). 255

ROUX, J.P. Systematic studies in the genus *Mohria* (Pteridophyta: Anemiaceae). VI. Taxonomic review. 1

SMITH, G.F. *FSA* contributions 2: Asphodelaceae/Aloaceae, 1029010 *Chortolirion*. 31

SMITH, G.F. *FSA* contributions 3: Asphodelaceae/Aloaceae, 1028010 *Poellnitzia*. 35

SMITH, G.F. & GLEN, H.F. Obituary: Alan Percy-Lancaster (1944–1995). 259

VAN REENEN, M. An annotated list of Urediniomycetes (rust fungi) from South Africa 1: Melampsoraceae and Pucciniaceae, excluding *Puccinia* and *Uromyces*. 173

VAN WYK (née SCHONKEN), C.M. &. VAN DER WALT, J.J.A. Three subspecies of *Pelargonium laevigatum* (Geraniaceae). 133

VORSTER, P. & FRIIS, Ib. Lectotypification of *Pelargonium multibracteatum* (Geraniaceae). 102

INDEX—INDEKS

Acanthophora *Dunal*, section, 51
Aculeigerum *Seithe*, section, 51
Adiantum caffrorum (L.) L. f., 4
Africa, 1, 61
  South, 1, 35, 87, 173, 236
  southern, 13, 31, 149, 183, 205, 233, 238, 239
  sub-Saharan, 211
Afrosolanum *Bitter*, section, 49
Aitonia J.R. & G. Forst., 13
  eximia Schiffn., 23
  fischeriana Steph., 19
  microcephala Steph., 21
Aloaceae, 31, 35, 37, 97
Aloe *L.*, 37, 97
  aristata *Haw.*, 38
  glauca *Mill.*, 39
    var. muricata *(Schult.) Baker*, 40
  humilis *(L.) Mill.* var. incurva *Haw.*, 39
  longiaristata Schult. & Schult. f., 38
  longistyla *Baker*, 38
  micrantha *Haw.*, 37
  microcantha auctt., 37
  muricata Schult., 40
  pluridens *Haw.*, 41
  rubriflora (L. Bolus) G.D. Rowley, 36
  saponaria *(Aiton) Haw.* var. latifolia *Haw.*, 40
  schmidtiana *Regel*, 38
  striata *Haw.*, 40
  thompsoniae *Groenew.*, 37
  thorncroftii *Pole Evans*, 40
anatomy, 69, 141, 143
Anemiaceae, 1
Antrocephalus Lehm., 13
Apicra
  jacobseniana Poelln., 36
  rubriflora L. Bolus, 36
Arthropteris monocarpa *(Cordem.) C. Chr.*, 237
Arundineae, 141
Arundinoideae, 141
Asclepiadaceae, 155
Asclepias *L.*, 155
  arborescens L., 165
  aurea *(Schtr.) Schltr.*, 155
  buchenaviana Schinz, 165
  burchellii Schltr., 167
  cancellata Burm. f., 165
  filiformis (E. Mey.) O. Kunze, 165
    var. *buchenaviana* (Schinz) N.E. Br., 165
  fruticosa L., 165
  glaucophylla (Schltr.) Schltr., 166
  pubescens L., 165
  randii *S. Moore*, 156
  rostrata N.E. Br., 166
  rotundifolia Miller, 165
Asparagaceae, 205
Asparagopsis
  densiflora Kunth, 206
  denudatus Kunth, 206
  krebsiana Kunth, 207
  microraphis Kunth, 207
  minutiflorus Kunth, 207
  setacea Kunth, 208
Asparagus *L.*, 205
  acocksii *Jessop*, 205
  aethiopicus *L.*, 206
    var. *angusticladus* Jessop, 206
  africanus *Lam.*, 206
    var. *concinnus* Baker, 206
    var. *natalensis* Baker, 208
  aggregatus *(Oberm.) Fellingham & N.L. Mey.*, 205
  alopecurus *(Oberm.) Malcomber & Sebsebe*, 206
  angusticladus *(Jessop) Fellingham N.L. Mey.*, 206
  asparagoides *(L.) W. Wight*, 206
  aspergillus *Jessop*, 206
  bayeri *(Oberm.) Fellingham & N.L. Mey.*, 206
  bechuanicus *Baker*, 206
  biflorus *(Oberm.) Fellingham & N.L. Mey.*, 206
  buchananii *Baker*, 206
  burchellii *Baker*, 206
  capensis *L.*
    var. capensis, 206
    var. litoralis *Suess. & J. Karl*, 206
  clareae *(Oberm.) Fellingham & N.L. Mey.*, 206
  coddii *(Oberm.) Fellingham & N.L. Mey.*, 206
  concinnus *(Baker) Kies*, 206
  confertus *K. Krause*, 206
  cooperi *Baker*, 206
  crassicladus *Jessop*, 206
  declinatus *L.*, 206
  densiflorus *(Kunth) Jessop*, 206
  denudatus *(Kunth) Baker*, 206
  devenishii *(Oberm.) Fellingham & N.L. Mey.*, 206
  divaricatus *(Oberm.) Fellingham & N.L. Mey.*, 206
  ecklonii Baker, 207
  edulis *(Oberm.) Fellingham & N.L. Mey.*, 206
  exsertus *(Oberm.) Fellingham & N.L. Mey.*, 206
  exuvialis *Burch.*, 207
    forma ecklonii *(Baker) Fellingham & N.L. Mey.*, 207
  falcatus *L.*, 207
  fasciculatus *Thunb.*, 207
  filicladus *(Oberm.) Fellingham & N.L. Mey.*, 207
  flavicaulis *(Oberm.) Fellingham & N.L. Mey.*, 207
    subsp. setulosus*(Oberm.) Fellingham & N.L. Mey.*, 207
  fouriei *(Oberm.) Fellingham & N.L. Mey.*, 207
  fractiflexus *(Oberm.) Fellingham & N.L. Mey.*, 207
  glaucus *Kies*, 207
  graniticus *(Oberm.) Fellingham & N.L. Mey.*, 207
  intricatus *(Oberm.) Fellingham & N.L. Mey.*, *207*
  juniperoides *Engl.*, 207
  kraussianus *(Kunth) J.F. Macbr.*, 207
  krebsianus *(Kunth) Jessop*, 207
  laricinus *Burch.*, 207
  lignosus *Burm.f.*, 207
  longicladus *N.E. Br.*, 207
  lynetteae *(Oberm.) Fellingham & N.L. Mey.*, 207
  macowanii *Baker*, 207
  mariae *(Oberm.) Fellingham & N.L. Mey.*, 207
  microraphis *(Kunth) Baker*, 207
  minutiflorus *(Kunth) Baker*, 207
  mollis *(Oberm.) Fellingham & N.L. Mey.*, 207
  mucronatus *Jessop*, 207
  multiflorus *Baker*, 207
  multituberosus *R.A. Dyer*, 207
  natalensis *(Baker) Fellingham & N.L. Mey.*, 208
  nelsii *Schinz*, 208
  nodulosus *(Oberm.) Fellingham & N.L. Mey.*, 208
  oliveri *(Oberm.) Fellingham & N.L. Mey.*, 208
  ovatus *T.M. Salter*, 208
  oxyacanthus *Baker*, 208
  pearsonii *Kies*, 208
  pendulus *(Oberm.) Fellingham & N.L. Mey.*, 208
  plumosus *Baker*, 208
  racemosus *Willd.*, 208
  ramosissimus *Baker*, 208
  recurvispinus *(Oberm.) Fellingham & N.L. Mey.*, 208
  retrofractus *L.*, 208
  rigidus *Jessop*, 208
  rubicundus *P.J. Bergius*, 208
  scandens *Thunb.*, 208
  schroederi *Engl.*, 208
  sekukuniensis *(Oberm.) Fellingham & N.L. Mey.*, 208
  setaceus *(Kunth) Jessop*, 208
  spinescens *Steud. ex Roem. & Schult.*, 208
  stellatus *Baker*, 208
  stipulaceus *Lam.*, 208
  striatus *(L.f.) Thunb.*, 208
  suaveolens *Burch.*, 208
  subulatus *Thunb.*, 208

transvaalensis *(Oberm.) Fellingham & N.L. Mey.*, 208
undulatus *(L.f.) Thunb.*, 208
virgatus *Baker*, 209
volubilis *Thunb.*, 209
Asphodelaceae, 31, 35, 37, 97
Aspidoglossum carinatum *(Schltr.) Kupicha*, 168
Aspleniaceae, 237
Asplenium obscurum *Blume*, 237
Asteraceae, 107, 244
Astroloba rubriflora (L. Bolus) E. Lamb, 36
author citation, 244, 245
Avena
rigida Steud., 145
rigida M. Bieb., 145
Aytonia J.R. & G. Forst., 13
Aytoniaceae, 13
Aytonioideae, 13
Baamba, 111
Baijnath, H., 247
Bakonjo, 111
Balkwill, K. & Balkwill, M-J. Review: Flora of Australia Volume 49: Oceanic Islands 1, edited by A.E. Orchard & A.J.G. Wilson. 1994, 127
Balkwill, M-J., 127
Barker, N.P. A systematic study of the genus *Pseudopentameris* (Arundinoideae: Poaceae), 141
Benderianum *Bitter*, section, 50
Barker, Winsome (Buddy), 255
Beyers, J.B.P. & Van der Walt, J.J.A. The generic delimitation of *Lachnaea* and *Cryptadenia* (Thymelaeaceae), 65
Beyers, J.B.P. A new species of *Trichogyne* from Namaqualand (Asteraceae), 107
booklice, 247
book reviews, 127
Boraginaceae, 233
Brachystelma *Sims*, 156
blepharanthera *(Schltr.) H.E. Huber*, 158
codonanthum *Bruyns*, 157
gymnopodum *(Schltr.) Bruyns*, 159, 161
recurvatum *Bruyns*, 156
schultzei *(Schltr.) Bruyns*, 162
Brevantherum *(Seithe) D'Arcy*, subgenus, 50
Brevantherum *Seithe*, section, 50
Browning, J., Gordon-Gray, K.D. & Ward, C.J. New records for southern Africa and KwaZulu-Natal (Cyperaceae), 238
Bruyns, P.V. New records and new species of Asclepiadaceae from Namibia, 155
Bukenya, Z.R., 111
Bukenya, Z.R. & Carasco, J.F. *Solanum* (Solanaceae) in Uganda, 43
Bundibugyo District, 111
Burrows, J.E. & Crouch, N.R. New distribution records of South African pteridophytes (Pteridophyta), 236
Burrows, J.E. & Edwards, T.J. A new species and a change of status in *Ophioglossum* (Ophioglossaceae: Pteridophyta) in Africa, 61
Buys, M.H. & Van der Walt, J.J.A. Typification of the sections in *Lobostemon* (Boraginaceae), 233
Campbell, B.M., Cunliffe, R.N. & Gambiza, J. Vegetation structure and small-scale pattern in Miombo Woodland, Marondera, Zimbabwe, 121
Cape
Namaqualand, 107
Swartberg, 104
Western, 87, 242
Carasco, J.F., 43
Ceropegia *L.*, 163
dinteri *Schltr.*, 163
filiformis *(Burch.) Schltr.*, 163
gymnopoda Schltr., 161
pygmaea Schinz, 159, 161
checklist, 173
Cheilanthes fuscata Blume, 4
Chlamidium Corda, 183
Chlamidium *(Corda) Bischl.*, subgenus, 192
Chlamidium, section, 195
Chortolirion *A. Berger*, 31
angolense *(Baker) A. Berger*, 31
bergerianum Dinter, 31
stenophyllum (Baker) A. Berger, 31
subspicatum (Baker) A. Berger, 31
tenuifolium (Engl.) A.Berger, 31
classification, 211
Clerodendrum
louwalbertsii *P.P.J. Herman*, 100
triphyllum *(Harv.) H. Pearson*, 100
Cliffortia nivenioides *Fellingham*, 104
Colina caffrorum (L.) Greene, 4
comb. nov., 161, 162, 165, 206–208, 244
Combretaceae, 149
Combretum *Loefl.*, subgenus, 149
mkuzense J.D. Carr & Retief, 150
conservation, 141
Cotula nigellifolia *(DC.) Bremer & Humphries* var. tenuior *(DC.) P.P.J. Herman*, 244
Crouch, N.R., 236
Cryptadenia *Meisn.*, 65
Cunliffe, R.N., 121
Cyclonema triphyllum Harv., 100
Cyperaceae, 238
Danthonia
brachyphylla Stapf, 146
macrantha Schrad., 146
obtusifolia Hochst., 145
rigida Steud., 145
distribution, 183
records, 236
disturbance, 121
Dracaena
striata L.f., 208
undulata L.f., 208
ecology, 121, 183
Edwards, T.J., 61
Eleocharis
decoriglumis *Berhaut*, 238
mutata (L.) *Roem. & Schult.*, 238
variegata *(Poir.) C. Presl*, 239
Erica *L.*, 87
alnea *E.G.H. Oliv.*, 90
hexensis *E.G.H. Oliv.*, 89
hispiduloides *E.G.H. Oliv.*, 87
hottentotica *E.G.H. Oliv.*, 93
karooica *E.G.H. Oliv.*, 242
magistrati *E.G.H. Oliv.*, 94
tarantulae *E.G.H. Oliv.*, 91
Ericaceae, 87, 242
Ericoideae, 87
ethnobotany, 111
Eumorpha laevigata (L. f.) Eckl. & Zeyh., 134
Fellingham, A.C. A new species of *Cliffortia* from the Swartberg (Rosaceae), 104
Fellingham, A.C. & Meyer, N.L. New combinations and a complete list of *Asparagus* species in southern Africa (Asparagaceae), 205
Fish, L. Review: A key to Australian grasses, 2nd edn by B.K. Simon. 1993, 127
food crops, 43
Friis, Ib, 102
FSA contributions, 31, 35
Gambiza, J., 121
generic delimitation, 65
Geraniaceae, 102, 133
Geranium
acuminatum Thunb., 134
laevigatum L. f., 134

trifoliatum Andr., 137
Glen, H.F., 233, 259
Glen, H.F. & Smith, G.F. Notes on the typification of some species of *Aloe* (Asphodelaceae/Aloaceae), 37
Glen, H.F., Smith, G.F. & Hardy, D.S. Typification of *Aloe* species described by B.H. Groenewald (Asphodelaceae/Aloaceae), 97
Glen, H.F. & Welman, W.G. Obituary: Friedrich von Breitenbach OMS (1916–1995), 260
Gomphocarpus *R. Br.*, 165
arborescens (L.) W.T. Aiton, 165
cancellatus *(Burm. f.) Bruyns*, 165
filiformis *(E. Mey.) Dietr.*, 165
fruticosus *(L.) W.T. Aiton*, 165
glaucophyllus *Schltr.*, 166
rostratus *(N.E. Br.) Bullock*, 166
tomentosus *Burch.*, 167
Gordon-Gray, K.D., 238
Grimaldia abyssinica Gola, 23
groups, 211
guide for authors to *Bothalia*, 277
Hardy, D.S., 97
Haworthia
angolensis Baker, 31
rubriflora (L. Bolus) Parr, 36
var. *jacobseniana* (Poelln.) Parr, 36
saundersiae Baker, 31
stenophylla Baker, 31
subspicata Baker, 31
tenuifolia Engl., 31
Hennessy, E.F. & Rodman, S. A note on *Combretum* subgenus *Combretum* section *Macrostigmatea* (Combretaceae), 149
Hepaticae, 13, 183
herbarium
curation, 247
hygiene, 247
pests, 247
Herman, P.P.J. A new species in the genus *Clerodendrum* (Verbenaceae), 100
Herman, P.P.J. A new combination in *Cotula* (Asteraceae), 244
Herman, P.P.J. A note on *Ursinia brachyloba* (Asteraceae), 244
history, 211
index to taxa of Ricciaceae, 229
indigenous taxa, 43
insect pests, 247
inventory, 111
Jasminosolanum *Bitter ex Seithe*, section, 57
Kakudidi, E.K.Z., 111
karyology, 79, 83
Katende, A.B., 111
key
Asclepiadaceae genera, 162
Asclepias *L.* spp., 155
Brachystelma spp., 162
Gomphocarpus spp., 165
Marchantia subgen., sections , spp., 184
Mohria spp., 2
Ophioglossum gracile and spp., 62
Pelargonium laevigatum *(L. f.) Willd.* subspp., 134
Plagiochasma *Lehm. & Lindenb.* subgen., 14
Pseudopentameris *Conert*, 145
Schizoglossum complex genera, 168
Solanum spp., 43, 45
Kinepetalum schultzei Schltr., 162
Kornas, Jan, 131
KwaZulu-Natal, 238
Lachnaea *L.*, 65
Lagarinthus filiformis E. Mey., 165
leaf anatomy, 141
lectotypification, 102
Leistner, O.A., Smith, G.F. & Glen, H.F. Notes on *Podocarpus* in southern Africa and Madagascar (Podcarpaceae), 233
Leptostemonum *(Dunal) Bitter*, subgenus, 50
Liposcelidae, 247
Liposcelis bostrychophilus *Badonnel*, 247
Lobostemon *Lehm.*, 233
Lonchitis caffrorum (L.) Bernh., 4
Lunulariaceae, 239
Lunularia cruciata *(L.) Dumort.*, 239
Macrostigmatea *Engl. & Diels*, section, 149, 150
Madagascar, 233
Manning, J. Review: Diversity and evolutionary biology of tropical flowers, by P.K. Endress. 1994, 128
Marchantia L. (without rank) *Marchantiotypus* Dumort., 185
Marchantia L. (without rank) *Stellatae* Gottsche, Lindenb. & Nees, 185
Marchantia L., 183
section *Astromarchantia* Nees, 185
section Chlamidium, 195
section *Chlamidium* (Corda) Nees, 192
section Paleaceae *Bischl.*, 192
section Papillatae *Bischl.*, 199
subgenus Marchantia, 185
subgenus Chlamidium *(Corda) Bischl.*, 192
berteroana *Lehm. & Lindenb.*, 189
chevalieri Steph., 201
contracta Bisch., 189
debilis *Goebel*, 201
flavescens Steph., 197
paleacea *Bertol.* subsp. paleacea, 193
papillata Raddi var. *italica* Raddi, 193
pappeana *Lehm.*, 197
subsp. *pappeana* Bischl., 197
parviloba Steph., 197
planiloba Steph., 197
var. *walteri* Burgeff, 197
polymorpha *L.*, 185
subsp. ruderalis *Bischl. & Boisselier-Dubayle*, 186, 187
stephanii Vanden Berghen, 197
tabularis Nees, 189
wilmsii Steph., 197
winkleri Steph., 197
Marchantia M. Marchant f., 183
Marchantiales, 13, 183
Marchantiopsis Douin & R.C.V. Douin, 183
Medeola asparagoides L., 206
medicinal plants, 43
Melampsoraceae, 173
Melongena *Dunal*, section, 51
Memoriam: Jan Kornas (26 April 1923–8 August 1994); Ellaphie Ward Hilhorst (10 July –30 June 1994); Frank White (5 March 1927–12 September 1994), 131
Micropylum *Bischl.*, subgenus, 14
miombo woodland, 121
Mohria *Sw.*, 1
caffrorum *(L.) Desv.*, 4
var. *ferruginea* J.E. & S.M. Burrows, 9
var. *multisquamosa* Bonap., 2
var. *vestita* (Baker) F. Ballard, 8
hirsuta J.P. Roux, 2
lepigera *(Baker) Baker*, 2
var. *madagascarica* Tardieu, 2
marginalis *(Savigny) J.P. Roux*, 2
nudiuscula *J.P. Roux*, 9
rigida *J.P.Roux*, 7
saxatilis *J.P. Roux*, 5
thurifraga sensu E.J. Lowe, 8
thurifraga Sw., 4
var. *achilleifolia* (as *achilliaefolia*) E.W. Lowe, 4
vestita *Baker*, 7
Momberg, B.A. Compiler: National Botanical Institute South Africa: list of staff and publications, 31st March 1995, 265
Momberg, B.A. Author citation 'ex Krauss ' in nomenclature, 245
Monodolichopus *Bitter*, section, 53
morphology, 67, 72, 81, 141
Myrsiphyllum
alopecurum Oberm., 206
asparagoides (L.) Willd., 206

declinatum (L.) Oberm., 206
fasciculatum (Thunb.) Oberm., 207
juniperoides (Engl.) Oberm., 207
kraussianum Kunth, 207
multituberosum (R.A. Dyer) Oberm., 207
ovatum (T.M. Salter) Oberm., 208
ramosissimum (Baker) Oberm., 208
scandens (Thunb.) Oberm., 208
undulatum (L.f.) Kunth, 208
volubile (Thunb.) Oberm., 209
Namaqualand, Western Cape, 107
Namibia, 155
new combinations, 205, 244
new distribution records, 236
new records, 155, 173, 236, 238, 239
new species, 61, 87, 100, 104, 107, 155, 242
Nicholas, A., 247
nomenclature, 245
nom. illegit., 13
Notochlaena lepigera Baker, 2
obituaries, 255
Oleandraceae, 237
Oliganthes *(Dunal) Bitter*, section, 54
Oliver, E.G.H. A new species of *Erica* from the Western Cape (Ericaceae), 242
Oliver, E.G.H. & Oliver, I.M. Studies in the Ericoideae (Ericaceae). XVI. Six new species of *Erica* from the Western Cape, South Africa, 87
Oliver, I.M., 87
Ophioglossaceae, 61, 236
Ophioglossum *L.*, 61
gracile *Pocock ex J.E. Burrows*, 61
gracillimum *Welw. ex Hook.*, 236
nudicaule L. f. sensu Roux, 61
rubellum *Welw. ex A. Braun*, 236
vulgatum *L.*
subsp. kilimandscharicum *(Hieron.) J.E. Burrows*, 62
var. *gracile* Pocock, 61
var. *kilimandscharicum* Hieron., 62
ornamentals, 43
Oryem-Origa, H., Kakudidi, E.K.Z., Katende, A.B. & Bukenya, Z.R. Preliminary ethnobotanical studies of the Rwenzori Mountain forest area in Bundibugyo District, Uganda, 111
Osmunda
crenata Desv., 2
marginalis Savigny, 2
thurifera Sw., 4
thurifraga Comm. ex Bory, 2
thurifraga Comm. ex Savigny, 2
Pachycarpus *E. Mey.*, 167
schweinfurthii *(N.E. Br.) Bullock*, 167
Paleaceae *Bischl.*, section, 192
Papillatae *Bischl.*, section, 199
Pelargonium L'Hér.
acuminatum (Thunb.) DC., 134
diversifolium Wendl., 137
laevigatum *(L. f.) Willd.*, 133, 134
subsp. diversifolium *(Wendl.) Schonken*, 137
subsp. laevigatum, 134
subsp. oxyphyllum *(DC.) Schonken*, 138
var. *compositum* L 'Hér. ex DC., 134
var. *oxyphyllum* (DC.) Harv., 138
macowanii Bolus, 134
multibracteatum *Hochst.*, 102
oxyphyllum DC., 138
trifoliatum (Andr.) Sweet, 137
Pentameris
macrantha (Schrad.) Nees, 146
obtusifolia (Hochst.) Schweick., 145
sp. nov., 145
squarrosa Stapf, 145
Percy-Lancaster, Alan, 259
Perold, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 8. The genus *Plagiochasma* (Aytoniaceae: Aytonioideae) and six local taxa, 13
Perold, S.M. Studies in the Marchantiales (Hepaticae) from southern Africa. 9. The genus *Marchantia* and its five local species, 183
Perold, S.M. The taxonomic history of the Ricciaceae (1937–1995) and a classification of sub-Saharan Ricciae, 211
Perold, S.M. Fruiting *Lunularia cruciata*, now also reported from southern Africa (Lunulariaceae), 239
pest eradication, 247
Petota *Dumort.*, section, 57
phenetics, 141
phylogenetics, 141
Plagiochasma *Lehm. & Lindenb.*, 13
Plagiochasma, subgenus, 19
abyssinicum Gola, 14
algericum Steph., 14
appendiculatum *Lehm. & Lindenb.*, 13, 19
var. *erythraeum* Gola, 19
beccarianum *Steph.*, 13, 27
capense Sim, 14
dinteri Steph., 21
dschallanum Steph., 14
eximium *(Schiffn.) Steph.*, 13, 23
fischerianum (Steph.) Steph., 19
microcephalum *(Steph.) Steph.*, 21
var. microcephalum, 13
muricatum Steph., 14
rupestre *(J.R. & G. Forst.) Steph.*, 14
var. rupestre, 13, 15
var. volkii *Bischl.*, 13, 17
schimperi Steph., 23
tenue Steph., 14
plant uses, 111
Poaceae, 141
Poellnitzia *Uitewaal*, 35
rubriflora *(L. Bolus) Uitewaal*, 36
var. *jacobseniana* (Poelln.) Uitewaal, 36
Podocarpaceae, 233
Podocarpus *L'Hér. ex Pers.*, 233
pollen morphology, 78, 83
Polypodium caffrorum L., 4
Potatoe *(G. Don) D'Arcy*, subgenus, 57
Protasparagus
acocksii (Jessop) Oberm., 205
aethiopicus (L.) Oberm., 206
africanus (Lam.) Oberm., 206
aggregatus Oberm., 206
angusticladus (Jessop) Oberm., 206
aspergillus (Jessop) Oberm., 206
bayeri Oberm., 206
bechuanicus (Baker) Oberm., 206
biflorus Oberm., 206
buchananii (Baker) Oberm., 206
burchellii (Baker) Oberm., 206
capensis (L.) Oberm., 206
var. *litoralis* (Suess. & J. Karl) Oberm., 206
clareae Oberm., 206
coddii Oberm., 206
concinnus (Baker) Oberm. & Immelman, 206
confertus (K. Krause) Oberm., 206
cooperi (Baker) Oberm., 206
crassicladus (Jessop) Oberm., 206
densiflorus (Kunth) Oberm., 206
denudatus (Kunth) Oberm., 206
devenishii Oberm., 206
divaricatus Oberm., 206
edulis Oberm., 206
exsertus Oberm., 206
exuvialis (Burch.) Oberm., 207
forma *ecklonii* (Baker) Oberm., 207
falcatus (L.) Oberm., 207
filicladus Oberm., 207
flavicaulis Oberm., 207
subsp. *setulosus* Oberm., 207
fouriei Oberm., 207
fractiflexus Oberm., 207

glaucus (Kies) Oberm., 207
graniticus Oberm., 207
intricatus Oberm., 207
krebsianus (Kunth) Oberm., 207
laricinus (Burch.) Oberm., 207
lignosus (Burm.f.) Oberm., 207
longicladus (N.E. Br.) B. Mathew, 207
lynetteae Oberm., 207
macowanii (Baker) Oberm., 207
mariae Oberm., 207
microraphis (Kunth) Oberm., 207
minutiflorus (Kunth) Oberm., 207
mollis Oberm., 207
mucronatus (Jessop) Oberm., 207
multiflorus (Baker) Oberm., 207
natalensis (Baker) Oberm., 208
nelsii (Schinz) Oberm., 208
nodulosus Oberm., 208
oliveri Oberm., 208
oxyacanthus (Baker) Oberm., 208
pearsonii (Kies) Oberm., 208
pendulus Oberm., 208
plumosus (Baker) Oberm., 208
racemosus (Willd.) Oberm., 208
recurvispinus Oberm., 208
retrofractus (L.) Oberm., 208
rigidus (Jessop) Oberm., 208
rubicundus (P.J. Bergius) Oberm., 208
schroederi (Engl.) Oberm., 208
sekukuniensis Oberm., 208
setaceus (Kunth) Oberm., 208
spinescens (Steud. ex Roem. & Schult.) Oberm., 208
stellatus (Baker) Oberm., 208
stipulaceus (Lam.) Oberm., 208
striatus (L.f.) Oberm., 208
suaveolens (Burch.) Oberm., 208
subulatus (Thunb.) Oberm., 208
transvaalensis Oberm., 208
virgatus (Baker) Oberm., 209

Pseudopentameris *Conert*, 141
brachyphylla *(Stapf) Conert*, 146
caespitosa *N.P. Barker*, 147
macrantha *(Schrad.) Conert*, 146
obtusifolia *(Hochst.) N.P. Barker*, 145

psocid, 247

Psocoptera, order, 247

Pteridaceae, 237

Pteridophyta, 1, 61, 236

Pteris catoptera *Kunze* var. horridula *Schelpe*, 237

publications by the staff of the NBI, 274

Pucciniaceae, 173

Pycreus muricatus *(Kük.) Napper*, 238

Retief, E., Nicholas, A. & Baijnath, H. The psocid *Liposcelis bostrychophilus* Badonnel (Psocoptera: Liposcelidae): an occasional herbarium pest, 247

Ricciae, 211

Ricciaceae, 211
index to taxa, 229

Rodman, S., 149

Rosaceae, 104

Rourke, J.P. Obituary: Winsome (Buddy) Barker (1907–1994), 255

Roux, J.P. Systematic studies in the genus *Mohria* (Pteridophyta: Anemiaceae). VI. Taxonomic review, 1

Rupinia L. f., 13

Ruppinia L. f., 13

rust fungi, 173

Rwenzori Mountain, Uganda, 111

Schizoglossum *E. Mey.*, 168

saccatum *Bruyns*, 169

Scleria unguiculata *E.A. Rob.*, 239

section
Acanthophora *Dunal*, 51
Aculeigerum *Seithe*, 51
Afrosolanum *Bitter*, 49
Benderianum *Bitter*, 50
Brevantherum *Seithe*, 50
Chlamidium, 195
Jasminosolanum *Bitter ex Seithe*, 57
Macrostigmatea *Engl. & Diels*, 149, 150
Melongena *Dunal*, 51
Monodolichopus *Bitter*, 53
Oliganthes *(Dunal) Bitter*, 54
Paleaceae *Bischl.*, 192
Papillatae *Bischl.*, 199
Petota *Dumort.*, 57
Solanum *Seithe*, 46
Torva *Nees*, 56

sections, 211, 233

small-scale patterning, 121

Smith, G.F. *FSA* contributions 2: Asphodelaceae/Aloaceae, 1029010 *Chortolirion*, 31

Smith, G.F. *FSA* contributions 3: Asphodelaceae/Aloaceae, 1028010 *Poellnitzia*, 35

Smith, G.F., 37, 97, 233

Smith, G.F. & Glen, H.F. Obituary: Alan Percy-Lancaster (1944–1995), 259

soil properties, 121

Solanaceae, 43

Solanum *D'Arcy,* subgenus, 46

Solanum *Seithe*, section, 46

Solanum *L.*, 43, 46
aculeastrum Dunal, 52
aculeatissimum *Jacq.*, 51
aethiopicum *L.*, 54
aethiopicum Gilo group, 54
aethiopicum Shum group, 55
albicaule *Kotschy ex Dunal*, 55
americanum *Mill.*, 47
anguivi *Lam.*, 54
benderianum *Schimp. ex Dammer*, 50
coagulans *Forssk.*, 53
cyaneo-purpureum *De Wild.*, 55
florulentum *Bitter*, 48
giganteum *Jacq.*, 56
grossedentatum *A. Rich.*, 48
hastifolium *Hochst. ex Dunal, 55*
incanum *L.*, 52
kagehense group, 56
macrocarpon *L.*, 52
mammosum *L.*, 51
mauritianum *Scop.*, 50
melongena *L.*, 51
nakurense *C.H. Wright*, 49
nigrum *L.*, 46
subsp. nigrum, 47
renschii *Vatke*, 56
runsoriense *C.H. Wright*, 50
sarrachoides *Sendtn.*, 48
scabrum *Mill.*, 47
seaforthianum *Andrews*, 57
taitense *Vatke*, 55
tarderemotum *Bitter*, 48
terminale *Forssk.*, 49
subsp. inconstans *(C.H. Wright) Heine*, 49
subsp. sanaganum *(Bitter) Heine*, 49
subsp. terminale *Heine*, 49
tuberosum *L.*, 57
usambarense *Bitter & Dammer*, 56
villosum *Mill.*, 48
welwitschii *C.H. Wright*, 49
wendlandii *Hook.*, 51
wrightii *Benth.*, 53

South Africa, 1, 35, 87, 173, 236

southern Africa, 13, 31, 149, 183, 205, 233, 238, 239

species, 211

sp. nov., 61, 87, 89–91, 93, 94, 100, 104, 107, 147, 156, 157, 169, 242

stat. nov., 62, 137, 138

Stenostelma capense *Schltr.*, 170

Stigmatorhynchus hereroensis *Schltr.*, 170

subgenera, 211

subgenus
Brevantherum *(Seithe) D'Arcy*, 50
Chlamidium *(Corda) Bischl.*, 192
Leptostemonum *(Dunal) Bitter*, 50
Marchantia *L.*, 185
Micropylum *Bischl.*, 14
Plagiochasma, 19
Potatoe *(G. Don) D'Arcy*, 57
Solanum *D'Arcy*, 46
sub-Saharan Africa, 211
subspecies, 133
Swartberg,Western Cape, 104
systematics, 141
taxonomic review, 1
taxonomy, 1, 13, 31, 35, 37, 43, 61, 65, 87, 97, 100, 102, 104, 107, 133, 141, 149, 155, 173, 183, 205, 211, 233, 236, 238, 239, 242, 244, 245
Teldea Mont. ex Webb & Berthel., 13
Tenaris *E. Mey.*, 161
schultzei (Schltr.) E. Phillips, 161, 162
Thymelaeaceae, 65
Torva *Nees*, section, 56
transects, 111
Trichogyne lerouxiae *Beyers*, 107
typification, 37, 97, 233
Uganda, 43, 111
Urediniomycetes, 173
Ursinia brachyloba *(Kunze) N.E. Br.*, 244
valuable books missing, 132
Van der Walt, J.J.A., 65, 133, 233
Van Reenen, M. An annotated list of Urediniomycetes (rust fungi) from South Africa 1: Melampsoraceae and Pucciniaceae, excluding *Puccinia* and *Uromyces*, 173
Van Wyk, C.M. (née Schonken) & Van der Walt, J.J.A. Three subspecies of *Pelargonium laevigatum* (Geraniaceae), 133
vegetation structures, 121
Verbenaceae, 100
Von Breitenbach, Friedrich, 260
Vorster, P. & Friis, Ib. Lectotypification of *Pelargonium multibracteatum* (Geraniaceae), 102
Ward, C.J., 238
Ward-Hilhorst, Ellaphie, 131
weeds, 43
Welman, W.G., 260
Western Cape, 87, 242
White, Frank, 131
woody species, 121
Zimbabwe, 121

Printed by Aurora, 161 Mitchell Street, Pretoria West